

INDEX MAPS.

T11N R.6W 2nd Mer.

	189	189	188	188	188	187						
191	6	208	5	203	4	200	3	197	2	194	1	187
	207		207		202		200		197		194	
191	7	207	8	202	9	199	10	196	11	193	12	187
	206		206		202		199		196		193	
190	18	206	17	202	16	199	15	196	14	193	13	186
	205		205		201		199		196		193	
190	19	205	20	201	21	198	22	195	23	192	24	186
	204		204		200		198		195		192	
190	30	204	29	201	28	198	27	195	26	192	25	186
	204		203		201		197		194		191	
				201								
189	31	203	32		33	197	34	194	35	191	36	185
	183-185		183-185		183-185		183-184		183-184		184	

T12N R.6W 2nd Mer.

	214		214		214		213		213		213	
216	6	240	5	233	4	229	3	225	2	221	1	212
	240		239		232		228		241		220	
216	7	239	8	232	9	228	10	224	11	220	12	212
	238		238		232		228		224		219	
215	18	238	17	232	16	227	15	223	14	219	13	211
	237		237		231		227		223		219	
215	19	236	20	231	21	227	22	223	23	218	24	211
	236		235		230		226		222		218	
215	30	235	29	230	28	226	27	222	26	217	25	211
	234		234		230		225		222		217	
215	31	234	32	229	33	225	34	221	35	217	36	210
	210		210		209		209		209		209	

The figures on the lines refer to the page.

Township No 12 North of Range No 6 West of the 2nd Mer. Indⁿ
Ch. Sec.

South Boundary

West On the South Boundary of Sec 36. T. 12. N. 6. W.
35. 00 To a Brook 5. links wide; Course S. W.
39. 00 " " Sec 5. " " " " S. W.
45. 00 Get a spot for the cor of 1/4 Sec. from which a
Buck 16, in diam. bears S. 62. E. 37. links. dist. Run
Ash 12. " " " S. 60. W. 31. " "
79. 50 To a Brook 15. links wide; Course South.
85. 00 Get a spot for the cor. of Sec. 35. & 36. from which a
Hickory 18 in diam. stands S. 60. W. 44. links dist. also other
Timber near. Land level. Timber. Buck. Sugar. Oak. &c.

West On the South Boundary of Sec 35. T. 12. N. 6. W.
5. 00 To a Brook 20. links wide. Course S
45. 00 Get a spot for the cor. of 1/4 Sec. from which a
Hickory 18 in diam. bears S. 57. W. 27. links dist. also
Buck 16. " " " East 37. " "
32. 50 To a Brook 4. links wide. Course S. E.
80. 00 Get a spot for the cor. of Sec. 34. & 35. from which a
Hickory 16 in diam. bears S. 50. E. 3. links dist. also
B. Oak 16. " " " S. 22. W. 69. " "
Land in this mile is level Timber. Oak. &c.

West On the South Boundary of Sec 34. T. 12. N. 6. W.
40. 00 Get a spot for the cor. of 1/4 Sec. from which a
B. Oak 16 in diam. bears S. 32. E. 27. links dist. also
B. Oak 36. " " " S. 5. W. 26. " "
80. 00 Get a spot for the cor. of Sec. 33. & 34. from which a
Buck 12 in diam. bears S. 78. E. 35. links dist. also
Sugar 16. " " " S. 83. W. 28. " "
This mile is level Buck Land

West On the South Boundary of Sec 33. T. 12. N. 6. W.
40. 00 Get a spot for the cor. of 1/4 Sec. from which a

T. N 12. S. R. N 6. W. 2nd Mer Ind.

Birch 14. in diam. bears S. 88. E. 5.6. links dist. da
 Hickory 14. " " " N 88. W. 39 " "
 57.00 To a Brook 4. links wide Course N.
 80.00 Set a post for the cor. of Sec. 32. & 33. from which a
 W. Oak 20. in diam. bears S. 44. W. 5. links dist. da
 " No 15. " " " N 17. E. 22. " "
 Land on this mile is level. Timber. Birch. Oak. &c. &c.

West On the South Boundary of Sec. 32. T. 12. S. R. N 6. W.
 4.00 To a Brook 3. links wide. Course N.
 40.00 Set a post for the cor. of 1/4 Sec. from which a
 Hickory 9. in diam. bears N 42. E. 15. links dist. da
 W. Oak 16. " " " S. 48. W. 36. " "
 74.50 To a Brook 20. links wide. course South
 78.00 " " Brook 50. " " " S.
 80.00 Set a post for the cor. of Sec. 31. & 32. from which an
 Elm 14. in diam. bears N 8. E. 16. links dist. da
 Hickory 12. " " " S. 7. E. 20. " "
 Land on this mile is level; Timber. Oak. Syc. Birch &c.

West On the South Boundary of Sec. 31. T. 12. S. R. N 6. W.
 00 50 To a Brook 4. links wide Course N.E.
 3.00 " " No. — " " " S.E.
 40.00 Set a post for the cor. of 1/4 Sec. from which an
 B. Oak 18. in diam. bears North 31. links dist. da
 " No 20 " " " N 87. W. 40. " "
 75.00 Tell 3. chains North of the temp. post cor. of Towns
 11. & 12. Ranges 6. & 7. W. & set a post for the cor. of town
 which a W. Oak 12. in diam. bears N 65. E. 20. links dist. da
 B. Oak 14. " " " S. 31. W. 13. " "
 Land level. Thinly Timbered with Oak. &c. &c.

East Boundary

North On the East Boundary of Sec. 36 T. N 12. S. R. N 6. W.

T. N. 12. S. R. N. G. M. 3rd Mer. Ind.

30.00	To a Brook 8 links wide Course S. E.
40.00	Set a post for the cor. of the Sec. from which a Buck 16. in diam. bears S. 27. E. 31. links dist. & a do 16. " " " N 47. W. 41. " "
75.25	To a Mt. Oak 48. in diam. stands in the line
80.00	Set a post for the cor. of Sec. 25. & 36. from which a Buck 18. in diam. bears N 36. E. 12. links dist. & a do 15. " " " S. 38. W. 45. " " Land on this mile is good Timber, Oak. Buck, Sugar, &c.

North	On the East Boundary of Sec. 25. T. 12. S. R. N. G. M.
40.00	Set a post for the cor. of the Sec. from which an elm 10. in diam. bears S. 26. E. 14. links dist. & an elm 8. " " " N 3. E. 38. " "
53.00	To a Brook 4. links wide Course N. E.
56.00	" " do. 4. " " " N. E.
58.00	To a Mt. Oak 24. in diam. stands in the line
75.00	To a Brook 4. links wide, Course E.
80.00	Set a post for the cor. of Sec. 24. & 25. from which a Mt. Oak 18. in diam. bears S. 10. W. 13. links dist. & a Buck 12. " " " N 30. W. 17. " " Land level. Timber. Buck. Oak. Poplar. &c. &c.

North	On the East Boundary of Sec. 24. T. 12. S. R. N. G. M.
40.00	Set a post for the cor. of the Sec. from which a Buck 14. in diam. bears S. 6. W. 30. links dist. & a do 16. " " " N 25. W. 25. " "
65.00	To a Brook 10. links wide, Course S. E.
80.00	Set a post for the cor. of Sec. 13. & 24. from which an B. Oak 24. in diam. bears S. 52. E. 20. links dist. & an Ash 10. " " " N 69. W. 29. " " Land & Timber the same as on the last mile

North On the East Boundary of Sec. 13. T. 12. S. R. N. G. M.

T. N. 12. S. R. S. 6. M. 2nd Mer. Ind.

- 40.00 Set a post for the cor. of $\frac{1}{4}$ Sec. from which a
 M. Oak 12. in diam. bears S. 5. E. 4. links dist. & a
 " " 12. " " N 15. E. 25. " "
- 68.00 To a M. Oak 30. in diam. stands in the line
- 80.00 Set a post for the cor. of Secs 12. & 13. from which a
 Maple 6. in diam. bears S 25. E. 36. links dist. & a
 Buck 14. " " " N 55. W. 29. " "
 Land level; Timber. Oak. Buck &c. &c.

- North On the East Boundary of Sec 12. T. 12. S. R. S. 6. M.
- 15.00 To a brush 10. links wide. Course S. E.
- 40.00 Set a post for the cor. of $\frac{1}{4}$ Sec. from which a
 Buck 30. in diam. bears S. 20. E. 12. links dist. & a
 Sugar. 6. in " " N 21. E. 15. " "
- 66.00 To a brush 100 links wide; Course S. E.
- 80.00 Set the post for the cor. of Secs. 1. & 12 in the brush
 marked a Sycamore 15. in diam. & an Elm 10. with a
 blaze
 Land on this mile level. Timber. Buck, Oak. Sugar.

- North On the East Boundary of Sec 1. T. 12. S. R. S. 6. M.
- 40.00 Set a post for the cor. of $\frac{1}{4}$ Sec. from which a
 M. Oak 36. in diam. bears S. E. E. 34. links dist. & a
 Sugar. 14. " " " N 30. W. 13. " "
- 46.00 To a M. Oak 15. in diam. stands in the line
- 80.00 Set a post for the cor. of Towns 12. & 13. N Ranges 5. & 6.
 M. Gum which a
 Sugar 3. in diam. bears S. 26. W. 5. links dist. & a
 M. Oak 40. " " " N 20. E. 26. " "
 Land on this mile is level. Timber. Buck. Sugar. Oak.

North Boundary.

East On the cor. of Towns 12. & 13. North Ranges 6. & 7.
 West run East on a Random line 5. miles & 74 chains

fell 100 links South of the Inn cor. run & marked the line West—

West On the true line On the South Boundary of Sec. 36.
T. N. 13. N. R. 6 W.

25.00 To a Brook 20 links wide, course S. E.

40.00 Set a post for the cor. of 1/4 Sec. from which a
Sugar 14. in diam. bears S. 31. W. 2. links dist. & a
Buck 10. " " " S. 35. E. 14. " "

75.50 To a Brook 20 links wide; course S.

80.00 Set a post for the cor. of Sec. 35. & 36. in a Brook 50.
links wide, course S. E. from which a
Buck 10. in diam. bears S. E. & a

Lynx — " " " S. E. marked for bearing trees.
This mile is good Land. Timber Buck Sugar &c.

West On the true line on the South Boundary of Sec. 35.
T. N. 13. N. R. N. G. W.

40.00 Set a post for the cor. of 1/4 Sec. from which a
Sugar 18. in diam. bears S. 11. W. 18. links dist. & a
Buck 5. " " " S. 16. E. 24. " "

80.00 Set a post for the cor. of Sec. 34. & 35. from which a
Hickory 16. in diam. bears S. 57. W. 15. links dist. & a
Buck 10. " " " S. 22. E. 11. " "

This mile is rich Bottom Land; Timber Sugar. Buck, Walnut, &c.

West On the true line on the South Boundary of Sec. 34.
T. N. 13. N. R. N. G. W.

36.00 To a Brook 10 links wide, course S. E.

40.00 Set a post from which a
Buck 10 in diam. bears S. 1 E. 10. links dist. & a
Elm 14 " " " S. 73 W. 46. "

44.50 To a Brook 25 links wide, course S. E.

80.00 Set a post for the cor. of Sec. 33 & 34 from which

T. No 12 A.R. No 6 - 7th 2nd Mm. Ind:

W Oak. 30 in diam. trunk 855 E. 42 huts each; 8 a,
 20 13 " " " 844 N 26 " "
 Same sort and wood Timber Back.

West On the Inn line On the South Boundary of ea. 33.
 T 13 A.R. 6 W.

40.00 Let a 1/2 a post from which,
 Back. 12 in diam. trunk 852 E. 38 huts each; 8 a,
 20 16 " " " 853 W. 12 " "

80.00 Let a post for the cor of ea. 32 & 33 from which,
 Eugen. 6 in diam. trunk 856 E. 29 huts each; 8 a,
 W Oak. 16 " " " 856 W. 28 " "
 West Back land.

West On the Inn line On the South Boundary of ea. 32.
 T 13 A.R. 6 W.

19.00 To a Brook. 8 huts each, same S.

40.00 Let a 1/2 a post from which,
 Back. 16 in diam. trunk 844 W. 36 huts each; 8 a,
 20 3 " " " 845 E. 13 " "

50.00 Let a post for the cor of ea. 31 & 32 from which,
 Eugen. 18 in diam. trunk 848 E. 26 huts each; 8 a,
 Poplar. 45 " " " 813 W. 7 " "
 Same Same.

West On the Inn line On the South Boundary of ea. 31.
 T 13 A.R. 6 W.

40.00 Let a 1/2 a post from which,
 Eugen. 14 in diam. trunk 847 E. 24 huts each; 8 a,
 Hewitt 14 " " " 824 W. 26 " "

74.00 To the cor of T. 12 & 13. A.R. 576 W.

West Boundary.

North
7.00
28.00
40.00
80.00
On the East Boundary of Sec. 36. T. 12 N. R. 7 W.
To a Brook 10 links wide, Corner E.
Entered Prairie
Set a $\frac{1}{4}$ sap post in prairie
Set a post for the cross Sec. 25 & 36 in prairie
Same $\frac{1}{4}$ mile from Oak land; No timber on 2nd $\frac{1}{4}$

North
30.00
40.00
48.50
80.00
On the East Boundary of Sec. 25 T. 12 N. R. 7 W.
Duty Prairie
Set a $\frac{1}{4}$ sap post from which
W Oak 18 in. in air bears West 19 links due; 8 1/2
Do. 18 " " N 29 E 26 "
To a Brook 25 links wide, Corner E.
Set a post for the cross Sec. 24 & 25 from which
Oak 9 in air bears S 73 E 27 links due; 8 1/2
W Oak 18 " " N 48 W 38 "
Good Oak land.

North
29.00
30.00
40.00
48.00
50.25
80.00
On the East Boundary of Sec. 24 T. 12 N. R. 7 W.
To a Brook 3 links wide, Corner E.
" " Sugar 8 in air in the line.
Set a $\frac{1}{4}$ sap post from which
Sugar 18 in air bears S 6 W 25 links due; 8 1/2
Do. 6 " " N 34 E 11 "
To a Brook 5 links wide, Corner E.
" " W Oak 36 in air in the line.
Set a post for the cross Sec. 13 & 24 from which
Sugar 20 in air bears S 60 E 35 links due; 8 1/2
Oak 10 " " N 73 E 28 "
Same 7 Links same.

North
5.00
To a Brook 3 links wide, Corner S. E.

T. N. 12 N. R. N. 6 W. 2nd Mer. Ind.

40.00	Set a post for the corner from which Hickory 7 in diam. bears N 82° W. 7 links dist. & a Sugar 16 " " East 16 " "
65.50	To a Sugar 16 in diam. in the line.
75.00	" " Black 3 links in diam. Course E.
80.00	Set a post for the corner of T. 12 N. 3. from which Log 8 in diam. bears S 82° E. 3 links dist. & a Sugar 17 " " N 13° W. 10 " " Good Oak. land.

North	On the East Boundary of Sec. 12. T. 12. N. R. 7 W.
4.00	To a Black 15 links wide. Course E. E.
40.00	Set a post for the cor. of 1/4 Sec. from which a Sum 12 in diam. bears S. 53. W. 20 links dist. & a W. Oak 36 " " " N 15. E. 22. " "
59.50	To a Poplar 30 in diam. stands in the line.
80.00	Set a post for the cor. of Sec. 1. T. 12. from which a Hickory 8 in diam. bears S. 34. E. 15 links dist. & a W. Oak 28 " " " N 30. W. 31. " " Land level & good. Timber Oak. &c.

North	On the East Boundary of Sec. 1. T. 12. N. R. 7 W.
27.00	To a W. Oak. 12 in diam. stands in the line
40.00	Set a post for the cor. of 1/4 Sec. from which a W. Oak 48 in diam. bears N 40. W. 17 links dist. & a Hickory 5 " " " S. 7. W. 33. " "
80.00	Set a post for the cor. of T. 12. N. 3. in Range 6. & 7. from which a Sugar 8 in diam. bears S. 63. E. 16 links dist. & a W. Oak 30 " " " N 54. W. 50 " " Land on this mile is level & rich Timber Oak. &c.

Sub-division

North Between Sec. 35. & 36. T. N. 12. A. B. N. 6. W.
 00. 12. To a Brook 8. links wide. Course S. E.
 4. 84 To a White Oak 24. in diam. stands in the line
 40. 00 Set a post for the cor. of $\frac{1}{4}$ Sec. from which a
 Sugar 12. in diam. bears S. 60. E. 27. links dist. & a
 Spruce Oak 24. in " " S. 48. W. 56. " "
 41. 00 To a Brook 6. links wide. Course S. W.
 53. 61 To a Birch 30. in diam. stands in the line
 80 00 Set a post for the cor. of Sec. 25. 26. 35. & 36. from which
 an Ash 24. in diam. bears N 68. E. 15. links dist. & a
 Birch 10. " " " S. 45. W. 31. " "
 Land in this mile level; Timber Birch. Oak. Ash. &c
 Undergrowth Spice

East On a Random line between Sec. 25. & 36. T. N. 12. A. B. N. 6. W.
 2. 45. To a W. Oak 18. in diam. stands in the line.
 33. 72 To a B. Oak 40. " " " " "
 39. 85 To a Brook 6. links wide. Course S. W.
 40. 00 Set a temp. post for the cor. of $\frac{1}{4}$ Sec.
 80 30. Intersect the A. & I. line on East Boundary, 20. links
 North of the post for the cor. of Sec. 25. & 36.

West On the true line between Sec. 25. & 36. T. N. 12. A. B. N. 6. W.
 40. 15. Set a post for the cor. of $\frac{1}{4}$ Sec. at the av. dist. on the true
 line from which a
 Birch 18. in diam. bears S. 9. W. 18. links dist. & a
 Ash 10 " " " N 46. W. 8. " "
 80 00 To the post for the cor. of Sec. 25. 26. 35. & 36.
 Land broken. Timber. Birch Sugar. &c. W. g. Spice. &c.

North Between Sec. 25. & 36. T. N. 12. A. B. N. 6. W.
 10 81 To a W. Oak 12. in diam. stands in the line
 40. 00 Set a post for the cor. of $\frac{1}{4}$ Sec. from which a

219

J. N. 12. N. 18. N. 6 W. 2nd Mer. 2nd:

80.00 Set a post for the cor of Sec. 13, 14 & 23 & 24 from
which a Sum 10 in dia: bears N 55 E. 19 lbs dist
unge a Buck 24 " " N 70 W 19 "
Land level; Timber Buck, Oak & Poplar, under the
Drins & Spruce.

East On a Random line between Sec. 13 & 24 T. 12. N. 18. 6 W.
25.00 To a W. Oak 36 in dia: in the line.
40.00 Set a trap? in a post.
66.90 To a W Oak 36 in dia: in the line.
80.60 Intersect the East Boundary at the cor of sec. 13 & 24

West On a true line between Sec. 13 & 24.
40.30 Set the trap? in a post at the ar dish on the true line
from which a Sum 30 in dia: bears. N 65 W 7 lbs dist
unge a W. Oak. 5 " " " N 65 E 25 "
80.60 To the cor of sec. 13, 14, 23 & 24

North Between Sec. 13 & 14 T. 12. N. 18. 6 W.
5.00 To a Poplar 36 in dia: in the line.
40.00 Set a in a post from which
N 65 W 10 in dia: bears. N 57 E. 7 lbs dist; & a
Do. 12 " " N 83 W 15 "
63.75 To a W Oak 18 in dia: in the line.
80.00 Set a post for the cor of sec. 11, 12, 13 & 14 from which
W Oak 24 in dia: bears N 41 E. 5 lbs dist; & a
Do. 6 " " N 81 W 29 "
Land level and inclined to be out. Timber W Oak
Buck, & Hickory; Under the Hazel.

East On a Random line between Sec. 12 & 13 T. 12. N. 18. 6 W.
436 To a Buck 98 in dia: on the line
3432 " " Poplar 48 " " " "

T. No 12. N.W. No 67 2nd Mer. Ind:

40.00 Set a trap 1/2 in support

45.44 To a Hawk 24 in air in the line.

80.00 To a Brook 8 links mid, leaves N

80.50 Enter east the CTS or Range line 20 links South of the post cor of 12 + 13

West On the line between Sec 12 + 13 T. 12 N. R. 6 W

40.25 Set the trap 1/2 in support at the air dish in the line from which, Hawk 24 in air. S. E. 14 the dish made a Hog nose loc. " " N. 57 E 18 "

80.50 To the post cor of 12 11 12 13 + 14

Land level and soil good Timber Poplar, Walnut, Buck E. Under the Spruce April 13. 1894

North Between Sec 11 + 12 T. 12 N. R. 6 W

19.40 To a Oak 48 in air in the line.

40.00 Set a 1/2 support from which

Buck 12 in air. line. S. 9 E 13 links each, 7a,

Ash 20 " " " N. 64 W. 40 " "

63.70 To a Buck 15 in air in the line.

65.60 To a Brook 10 links mid, leaves N.E.

80.00 Set a post for the cor of 11, 2, 11, + 12 from which, Sugar 10 in air. line. S. 36 W 40 links each. 7a, W Oak 30 " " " N. 29 W. 27 " "

Land broken; Timber Oak Buck 75. W 8 Spruce Maple

East On a Random line between Sec 11 + 12 T. 12 N. R. 6 W

40.00 Set a trap 1/2 in support

40.50 To a Brook 10 links mid, leaves N.E.

74.70 To a Oak 20 " " " S.E.

80.00 Entered the East Boundary. No post: Not found I suppose it was in consequence of high water when the line was run

227

T. N^o 12 N. R. N^o 6 W. 2nd (Mm. Land)

West On the line between Sec 1 & 2 T. 12 N. R. 6 W.
 40.00 Established a 1/4 section from which
 Natural 24 in dia. trees. 110 W 10 lbs cut, & a,
 Buckeye 6 " " 175 W. 42 " "
 80.00 To the post on of sec. 1, 2, 11 & 12.
 Lunds broken & soil good, Lunds Beech, Poplar, Alder, Spruce.

North Between Sec 1 & 2 T. 12 N. R. 6 W.
 5.70 To a Sugar. 24 in dia. in the line.
 22.65 " " Beech 12 " " " "
 40.00 Set a 1/4 section from which
 Sugar. 12 in dia. trees. N 77 W 43 lbs cut, & a,
 Do. 12 " " " 125 W 54 " "
 46.50 To a creek 20 lbs wide course S.E.
 75.30 To a creek 30 lbs wide, course S.E.
 80.72 Into cut the N. Boundary. and set a post for the cor of sec.
 1 & 2 from which
 Locust. 12 in dia. trees. N 47 W. 33 lbs cut, & a,
 Elm. 8 " " " 147 E 32 " "
 This post should stand in a small deep pond.
 This line over fern grounds, Lunds Beech, Oak, Sugar,
 Sycamore & W. Hemlock. April 28. 1814

North Between Sec 34 & 35, T. 12 N. R. 6 W.
 19.40 To a W Oak. 18 in dia. in the line.
 40.00 Set a 1/4 section from which
 Beech. 24 in dia. trees. N 42 W. 24 lbs cut, & a,
 Do. 15 " " " N 24 E. 40 " "
 41.00 To a Brook. 5 lbs wide, course N.E.
 60.35 " " Beech. 20 in dia. in the line.
 80.00 Set a post for the cor of sec. 26, 27, 34 & 35 from which
 Beech. 12 in dia. trees. N 37 W. 20 lbs cut, & a,
 Elm. 18 " " " S 27 E. 47 " "

T. N. 12. N. R. N. 6 W 2nd Mer. Ind.

Sound level Timber Back Head; midlength Hays

East Quanaum line between Sec. 26. 35 T. 12 N. R. 6 W
 17.31 To a Gum. 18 in diam. in the line.
 28.00 To a Brook 8 links wide, across S.E.
 40.00 Set a trip. post in a post
 80.00 Enter at the N. R. line at the post cor. of Sec. 25, 26, 35 & 36

West On the line between Sec. 26. 35. T. 12 N. R. 6 W
 40.00 Set the trip. post in a post at the ar. dish in the line.
 From which W Oak. 16 in diam. bears S 20 E. 20 th. arch
 under a Do. 10 " " " N 21 W 15. "
 Sound level; Timber Back, Oak, & W Sassafras.
 80.00 To the post cor. of Sec. 26. 27. 34 & 35.

North Between Sec. 26. 27 T. 12 N. R. 6 W
 0.04 To a Buck. 10 in diam. in the line.
 40.00 Set a post from which,
 Buck. 16 in diam. bears S 13 E. 45 links arch, & a,
 " " " " N 59 W. 20 " "
 53.53 To a Buck 10 in diam. in the line.
 75.04 To a Brook 8 links wide,
 80.00 Set a post for the cor. of Sec. 22, 23, 26. 27 from which,
 W Oak. 24 in diam. bears S 20 E. 33 th. arch, & a,
 " " 20 " " " N 74 W 30 " "
 Sound level Timber Oak & Hickory & Poplar; W Sassafras

East Quanaum line between Sec. 23. 26. T. 12 N. R. 6 W
 8.00 To a W Oak. 18 in diam. in the line.
 40.00 Set a trip. post in a post
 80.00 Enter at the N. R. line at the cor. of Sec. 23, 24, 25 & 26.

West On the line between Sec. 23 & 26. T. 12 N. R. 6 W.

T. N. 12. N. R. N. 677. Dat. Mon. Ind.

40.00	Set the temp. 1/4 in a post at the ar. dist. in the line from which Elm. 6 in diam. trees. N 6 E 12 lks. dist. & a, 73 Oak. 20 " " " N 20 N 46 " "
50.00	To the post on of sec. 22, 23, 26 & 27. Land here Timber Oak, Hickory, & Hick
North	Return Sec. 22 & 23. T. 12 N. 46 W.
30.70	To a W Oak. 30 in diam. in the line.
40.00	Set a 1/4 in a post from which, Oak. 12 in diam. trees. N 68 E. 33 lks. dist. & a, Oak. 15 " " " N 50 N. 21 " "
59.10	To a W Oak. 40 in diam. in the line.
80.00	Set a post for the cor. of sec. 14, 15, 22, & 23 from which, W Oak. 20 in diam. trees. N 64 W. 27 lks. dist. & a, Elm. 8 " " " N 29 E. 25 " " Land here Timber Oak & Hickory Oak & Poplar, many* Gamboge, Hazel & Spruce.
East	On a S. line between Sec. 14 & 23. T. 12 N. 46 W.
27.70	To a W Oak. 50 in diam. in the line.
40.00	Set a temp. 1/4 in a post
80.00	Enter lat the N & S. line at the post on of sec. 13, 14, 23 & 24.
West	On the S. line between Sec. 14 & 23. T. 12 N. 46 W.
40.00	Set the temp. 1/4 in a post at the ar. dist. on the line from which Oak. 14 in diam. trees. N 55 E 36 lks. dist. & a, Hogwood 4 " " " N 80 W. 6 " "
80.00	To the post on of sec. 14, 15, 22 & 23. Land here Timber Oak, Hickory & Oak, many* Gamboge & Hazel. April 13 th . 1844.
North	Return Sec. 14 & 15 T. 12 N. 46 W.
4.48	To a W Oak. 20 in diam. in the line.

T. N. 12. N. M. N. 6 W. 2nd. M. L. 11

32.40 To a Buck. 12 in air: with him.
 40.00 Set a post from which
 Buck. 20 in air: him. S 9 E. 18 the arch, & a
 Poplar. 12 " " " N 79 W. 18 " "
 42.20 To a N. Oak. 16 in air: in the him.
 80.00 Set a post for the cr of Ls. 10. 11. 14 & 15 from which
 Oak 24 in air: him. S 38 W. 17 the arch, & a
 Gum. 12 " " " N 73 E. 3 " "
 Land level and mt: Timber Oak Buck & Hickory
 Underst. Hazle & Birches.

East Oak Random him between Ls. 11 & 14. T. 12. N. 18. 6 W
 40.00 Set a post for the post
 65.40 To a Buck. 5 the him, leave it
 80.00 Set a post for the N 13 him at the post cr of Ls. 11. 12. 13 & 14

West Oak him between Ls. 11 & 14. T. 12. N. 18. 6 W
 40.00 Set the post for the post at the arch: in the him from which
 a N. Oak. 36 in air: him. S 27 W. 5 the arch, & a
 Ash. 4 " " " N 77 W. 6 " "
 80.00 To the post cr of Ls. 10. 11. 14 & 15.
 Land level: Timber Oak, Buck, & Gum, N. 8. Hazle & Birches.
 April. 15. 1814.

North Between Ls. 10. 11. T. 12. N. 18. 6 W
 1390 To a Hick. 18 in air: in the him.
 40.00 Set a post from which
 Buck. 13 in air: him. S 48 E. 14 the arch, & a
 Do. 10 " " " N 85 W. 31 " "
 49.50 To a Spruce Oak 36 in air: in the him.
 80.00 Set a post for the cr of Ls. 2, 3, 10 & 11 from which
 Sugar. 12 in air: him. N 87 W. 8 the arch, & a
 Do. 12 " " " S 65 E. 32 " "

T. N. 12. N. 18. N. 6 1/2 2nd Mer. Sur.

Land herb Timber Oak Buck Sugar, among the
Spice and Hays.

North
3.43 Between Lat 213. T. 12. N. 6 1/2 W
To a W Oak 30 in diam in the line.
40.00 Set a 1/4 2nd post from which,
Sugar 14 in diam. bears. S 12 E. 14 the arch, Va,
Buck 30 " " " N 42 W. 22 " "
51.70 To a W Oak 20 links mid, comes S. E.
79.81 Set a lat the N. B. corner and set a post for the cor of lat
213. from which W Oak 36 in diam bears. S 4 E. 24 the arch
more a Sugar 12 N 29 W. 26 links arch,
Land herb Timber Oak, Sugar, & Buck, W. Spice.
April 18. 1814.

North
10.22 Between Lat 33 & 34. T. 12. N. 6 1/2 W
To a W Oak 30 in diam in the line.
40.00 Set a 1/4 2nd post from which
W Oak 17 in diam bears. S 11 E. 30 links arch, Va,
Buck 14 " " " N 40 W 10 " "
56.25 To a W Oak 16 in diam in the line.
80.00 Set a post for the cor of lat. 27. 28. 33 & 34 from which
Buck 24 in diam bears. N 14 E. 37 the arch, Va,
Do. 12 " " " S 25 W 11 " "
Land herb, Timber Buck Oak & Spice.

East
16.00 On a Random line between Lat 27 34 T. 12 N. 6 1/2 W
To a W Oak 10 links mid, comes N. W.
35.01 " " W Oak 24 in diam in the line.
40.00 Set a timber 1/4 2nd post
60.10 To a Gum 36 in diam in the line.
79.85 Set a lat the N. 13 line 30 links North of the cor of lat.
26. 27. 34 & 35.

T. A. 12. A. M. A. 877 2nd Mm. Sud.

West
39.92^p On the line between Sec. 27 & 34 T. 12 N. R. 6 W.
Set the trip. 1st 1/4 east at the ar. dist. in the line from
which Back. 18 in air. time. S 15° N. 28 the dist. 8 a,
Heik 178 " " " N 34° W 11 " "
79.86 Set a post cor of sec. 27, 28, 33 & 34.
Land had Timber Oak, Hick 7 & Buck, W. Birch
Maple & Spruce.

North
9.90 Return Sec. 27 & 28 T. 12 N. R. 6 W.
24.40 To a Back. 12 in air. Stand in the line.
24.40 " " Brook 6 links mds, corner A. C.
40.00 Set a 1/4 east from which
W Oak 36 in air. time. S 66° N 19 links dist. 8 a,
Sugar. 16 " " " N 64° E. 42 " "
57.50 To a Brook 10 links mds, corner A. W.
63.84 To a Poplar 48 in air. in the line.
80.00 Set a post for the cor of sec. 21, 22, 27 & 28 from which
Hick 18 in air. time. S 84° E. (11 ?) the dist. 8 a,
Oak 48 " " (N 61° E ?) 37 " "
Land had and set good Timber Oak, Poplar & Oak
undergrowth Spruce & Maple.

East
110.00 On a Random line between Sec. 27 & 22. T. 12 N. R. 6 W.
148.60 Set a trip. 1/4 east.
148.60 To a W Oak. 24 in air. in the line.
176.00 To a Brook 10 links mds, corner A.
179.94 Set a post for the N 63 line at the cor of sec. 22, 23, 16 & 27.
April 14. 1814

West
39.97 On the line between, Sec. 22 & 27. T. 12 N. R. 6 W.
Set the trip. 1st 1/4 east at the ar. dist. in the line from
which W Oak 36 in air. time. N 55° E. 19 the dist. 8 a,
Sugar. 12 " " " S 77° W 22 " "

79.94	Sett post cor of sec. 21, 22, 27 & 28. Land broken, soil good, Timber Poplar, Oak & Spruce &c.
North	Return Sec 21 & 22 T. 12 N. R. 6 W.
23.20	To a Buck 16 in air: in the line.
40.00	Set a post from which are Oak 8 in air: from Sec 8 timber ash; &c, No 7, " " N 83 W 10 " "
48.61	To a W Oak 20 in air: in the line.
60.50	" " Hickory 18 " " " " "
80.00	Set a post for the cor of sec. 15, 16, 21 & 22 from which are Oak 30 in air: from N 8 E. 7 timber ash; &c, Buck 12 " " S 37 N. 39 " " Land good; Timber Oak, Buck, Spruce, N 8 Oak & Maple
East	On a Random line between Sec. 15 & 22. T. 12 N. R. 6 W
30.18	To an Oak 14 in air: in the line.
40.00	Set a temp. post in a post.
79.92	Take out the N & S line at the post cor of sec. 14, 15, 21 & 22.
West	On the same line between Sec. 15 & 22. T. 12 N. R. 8 W
39.86	Set the temp. post in a post at the air: in the line from which a Hickory 12 in air: from N 75 E. 19 timber ash; &c, Maple 10 " " " S 37 N. 18 " "
79.92	Sett post cor of sec. 15, 16, 22 & 21. Land good; Timber Oak, Hickory & Maple. N 8 Oak & Spruce
North	Return Sec. 15 & 16. T. 12 N. R. 8 W.
19.56	To a Buck 10 in air: in the line.
27.30	" " No. 10 " " " " "
30.00	To a Buck 8 timber ash, Spruce &c.
40.00	Set a post from which Buck 12 in air: from S 27 N 35 timber ash; &c

I. N. 12. A. R. N. 6-17 2nd Mrs. Sud.

Back 10 in air: time. N 47 E. 19 the arch:
 80.00 Set apart for the car of sec. 9, 10, 15 & 16. from which,
 N Oak. 20 in air: time. S 5 E. 29 links arch, & a,
 Lg. 20 " " " N 65 W. 20 " "
 Land level Timber Oak, & Hickory & Buck, W. Maple & Spruce.

East Chatham line between Sec. 10 & 13 T. 12 N. R. 6 W.
 13.04 To a Maple. 24 in air: in the line.
 40.00 Set a temporary support in the post.
 80.00 Enter at the N. W. line at the post in of sec. 10, 11, 14 & 15.

West On the line between Sec. 10 & 15 T. 12 N. R. 6 W.
 40.00 Set the temporary support at the air dish on the line
 Gum. 24 in air: time. S 21 W. 28 links arch, & a,
 Hickory 30 " " " N 57 E. 27 " "
 80.00 To the post in of sec. 9, 10, 15 & 16.
 Land level and mt. Timber Oak, & Gum. W. Spruce.

North Return Sec. 9 & 10 T. 12 N. R. 6 W.
 12.67 To an Elm. 6 in air: in the line.
 40.00 Set a temporary support from which,
 Gum. 4 in air: time. S 41 E. 42 links arch, & a,
 Elm. 10 " " " N 11 W. 14 " "
 63.90 To an Elm. 10 in air: in the line.
 80.00 Set apart for the car of sec. 3, 4, 9 & 10 from which,
 Back 10 in air: time. N 11 E. 19 links arch, & a,
 Lg. 12 " " " S 5 E. 18 " "
 Land level and mt. Timber Oak, & Hickory W. Spruce.

East Chatham line between Sec. 3 & 10 T. 12 N. R. 6 W.
 4.85 To an Oak 36 in air: in the line.
 30.63 To a Spruce Oak 36 in air: in the line.
 40.00 Set a temporary support.

47.50	To a Brook 10 lbs ind. Course E.
61.55	" Same No. 10 " " N.E.
62.90	To a Brook 10 lbs ind. Course N.
79.75.	Int. sat the N & S line. 20 lbs South of the foot of cal 2.3.10.411.
41.02	On the line between Sec. 3 & 10. J. 12 N. 67 N.
39.97 p.	Set the trap for the first at the end in the line from which Buck. 16 in air. line. S 34 N. 29 lbs net, & a Hogwood 5. " " N.E. 8 " "
79.95.	To the foot of cal. 3.4.9 & 10. Lund broken & not good: Lumber Sugar, Poplar, Buck & Mud. Hogwood. April 17/1844.
North	Between Sec. 3 & 4. J. 12 N. 67 N.
413	To a Hick 24 in air. Main in the line.
31.68	To a Buck. 20 in air " " " "
40.00	Set a trap for which, W Oak. 10 in air. line. N. 13 lbs net, & a Hick 12 " " " S 56 E. 26 " "
40.66	To a Hick 20 in air. in the line.
53.00	To a Brook 5 lbs ind. Course S.E.
79.70	Int. sat. the S. Boundary and set apart for the cal. 3 & 4. from which Hick 20 in air. line. N 4 E 12 lbs net Lund a W Oak. 14 " " " S 77 N. 42 " " Lund wood; Lumber Oak, Buck, Hick, & W. Spruce.
North	Between Sec. 32 & 33. J. 12 N. 67 N.
15.84	To a W Oak. 20 in air. in the line.
40.00	Set a trap for which, W Oak. 30 in air. line. S 36 N 7 lbs net, & a Buck. 8 " " " S 55 E. 12 " "
45.13.	To a W Oak 20 in air. in the line.

49.50 To a Brook. 9 miles near, corner W.
 80.00 Set a post for the cor of sec. 28, 29, 32 & 33 from which a
 Hick¹² in air. beam. S 81 E. 8 miles out; & a
 W Oak. 24 " " S 52 W 18 " "
 Land sold; Timber Oak, Red, & W. Maple & Spruce

East On a Sand run line between Sec 28 & 33. T. 12. N. R. 677.
 16 7/10 To a Maple. 14 in air in the line.
 40.00 Set a trap⁷ in a post.
 80.00 Enter sec the N & S line at the post cor of sec. 27, 28, 33 & 34

West On the new line between Sec. 28 & 33. T. 12. N. R. 677.
 40.00 Set the trap⁷ in a post at the mouth on the new line from
 an Oak. 10 in air beam. S 6 E 5 miles out; & a
 Gum. 6 " " N 46 W 6 " "
 80.00 Set & set the N & S line at the post cor of sec. 28, 29, 32 & 33.
 Land sold Timber Oak, Hick¹², & 13 Oak, W Maple & Spruce.

North Between Sec 28 & 29 T. 12 N. R. 677
 24.50 To a Hick¹⁴ in air. stands in the line.
 40.00 Set the ~~trap~~ in a post from which a
 Hick. 13 in air. beam. S 46 E 9 miles out; & a
 W Oak. 24 " " N 63 W 13 " "
 58.13 To an Ironwood 4 in air in the line.
 64.50 To a Brook 30 miles near, corner W.
 80.00 Set a post for the cor of sec. 20, 21, 28 & 29 from which a
 Hick¹⁸ in air. beam. S 24 W 8 miles out; & a
 Sugar. 7 " " N 9 W 5 " "
 Land sold; Timber Oak & Spruce, Undeveloped Maple.

East On a Sand run line between Sec 21 & 28 T. 12 N. R. 677
 3.65 To a Brook 30 miles near, corner W.
 40.00 Set a trap⁷ in a post.

T. N^o 12. N. R. N^o 6 W. 2nd Mer. Sud^o.

80.00	Intersect the N 13 line on of lat. 21.22 27 1898.
West	On the line line between Lat. 21. 1828 2 12 N. 6 W.
40.00	Set the top of 7 1/4 sapst at the ar dist on the line from which a Poplar, 36 in dia: bears. N 70 W. 11 limbs out; & a Sugar, 18 " " " S 68 E. 20 " "
80.00	To the point of Lat. 20. 21. 28 1829 Land broken; Timber Oak & Post, Mangro: Hazel & Pine April 14. 1814.
North	Between Lat. 20 1821. T. 12. N. 6 W.
0.40	To a locust. 20 limbs wide comes S. E.
11.70	To a Post. 24 in dia: stands in the line.
37.88	To a locust. 40 limbs wide, comes S. W.
40.00	Set a 7 1/4 sapst from which a Ironwood 5 in dia: bears. S 61 E. 48 limbs out; & a Hick 18 " " " N 38 W. 51 " "
46.36	To a locust 30 limbs wide, comes S. W.
51.85	To a sycamore 36 in dia: in the line.
80.00	Set a post for the on of lat. 16. 17. 20 1821, from which a Post. 10 in dia: bears. N 13 W. 37 the dist; & a Do. 18 " " " S 21 E. 42 " " Land good and art: Timber Post & Oak W. Hazel.
East	On a Ranam line between Lat. 16 1821. T. 12. N. 6 W.
28.50	To a W Oak. 48 in dia: in the line.
40.00	Set a top of 7 1/4 sapst
80.10	Intersect the N 13 line at the post on of lat. 15. 16 21. 1822.
West	On the line line between Lat. 16 1821. T. 12. N. 6 W.
40.06	Set the top of 7 1/4 sapst at the ar dist on the line from which a Post. 12 in dia: bears N 45 W. 26 limbs out; & a Oak 10 " " " S 63 W. 53 " "

J. N. 12. N. N. N. 677 2nd Mo. Ind.

80.12 To the post on of l. 16. 17. 20 & 21.

North Return Sec. 16 & 17. J. 12. N. N. 677.
 20.50 To a Brook. 5 links wide, across J. N.
 23.80 To a Sugar. 10 in dia. stands in the line.
 40.00 Set a 7th in a post from which
 Sugar. 24 in dia. trees. N 3 E 11 links dish; 7 a,
 Do. 20 " " " N 4 E 25 " "
 48.70 To a Poplar. 30 in dia. in the line.
 50.50 To a Brook. 8 links wide, across J. E.
 80.00 Set a post for the end of l. 8. 9. 16 & 17 from which
 Buck. 12 in dia. trees. — S 3 W. 46 links dish; 4 a,
 Do. 15 " " " N 5 E 8 links dish;
 Sound wood; Timber Oak & Beech Under 1st Spruce

East On a narrow line between Sec. 9 & 16. J. 12. N. N. 677
 12.23 To a Brook 7 links wide, across S. E.
 16.30 To a Poplar. 30 in dia. in the line
 40.00 Set a trap. 7th in a post
 80.00 Set a post for the end of l. 9. 10. 15 & 16.

West On a line between Sec. 9 & 16. J. 12. N. N. 677
 40.00 Set the trap. 7th in a post at the end dish on the line from which
 N 1 E 25 in dia. trees. N 3 E 16 links dish; 7 a,
 Buck. 10 " " " S 3 W 16 " "
 80.00 To the post on of l. 8. 9. 16. 17.
 Sound wood Timber Oak & Beech. Under 1st Spruce Maple & Birch
 April 16. 1874.

North Return Sec. 8 & 9. J. 12. N. N. 677
 6.65 To an Oak. 24 in dia. in the line.
 15.10 To a Buck. 28 in dia. in the line
 19.00 To a Spanish Oak 20 in dia. in the line.

T. N^o 12. N.R. N^o 6 W 2nd Min. Lnd^a.

40.00 Set a $\frac{1}{4}$ sapest from which;
W Oak. 30 in dir: beam. N3 E. 15 links mesh; & a
No. 36 " " " N21 W35 " "
41.00 To a Buck. 15 in dir: stands in the line.
57.00 " " " " " " " " " " " "
80.00 Set apest for the en of lvs 4.5.8 & 9 from which;
Nak 112 in dir: beam. N31 E. 13 links mesh; & a
No. 18 " " " " " " " " " " " "
Land level; Timber Oak, & s. Wilderst Spruce Birch &
Hazel. April. 16. 1814.

East On a Radium line between Lvs. 4 & 9 T. 12 N.R. 6 W
33.74 To a W Oak. 24 in dir: in the line.
40.00 Set a trapst $\frac{1}{4}$ sapest.
79.80 Set apest at the N3 line 50 links North of the past en of lvs.
34.9710.

West On the same line between Lvs. 4 & 9 T. 12 N.R. 6 W.
39.90 Set the trapst $\frac{1}{4}$ sapest at the ar dish; on the same line
from which; Buck. 24 in dir: beam. N41 W 19 links mesh;
and a No. 8 " " " " " " " " " " " "
79.80 To the past en of lvs 4.5.8 & 9.
Land level; Timber Oak, Buck, & P. plan. W8 Cassafra
and Hazel

North Between Lvs. 4 & 5. T. 12 N.R. 6 W.
.68 To a W Oak. 30 in dir: in the line
34.22 To a Buck. 18 " " " " " " " " " " " "
40.00 Set a $\frac{1}{4}$ sapest from which;
Buck. 10 in dir: beam. N25 E. 13 links mesh; & a
W Oak 30 " " " " " " " " " " " "
80.00 Set apest at the N3 line and set apest for the en of lvs
Spruce Oak & beam. N78 W 17 links mesh; & a

J. N. 12. AM. N. 67. 2nd Mr. Sud.

Height 36 in air: low. S 56 E 37 links out; &
Said work: Timber Bush, & Oak. N 8 E 10.

11th	Between Sec 31 & 32 J. 12. AM. 67
1.50	To a Creek 50 links into, corner S.E.
35.00	" " Poplar 60 in air: in the line.
40.00	Set a post from which an Elev. 8 in air: low. S 88 E 5 links out: on Mountain. S. " " S 65 W. 46 links out: & 0
112.50	To a Creek 50 links into, corner W.
69.00	To " Sec. 50 " " " S.E.
74.90	" " Sec. 50 " " " S.W.
78.00	" " Sec. 50 " " " S.E.
80.00	Set a post for the cor of Sec 29. 30. 31 & 32 from which an Elev. 18 in air: low. S 24 W 3 links out; & 2, Bush. 24 " " N 46 E 36 " " Said long ground Outpost is complete. as it runs up a Creek crossing as above.

East	On Main line between Sec. 29 & 32 J. 12 AM. 67.
12.00	To a Bush 16 in air: in the line.
40.00	Set a post 7 1/2 in post
72.00	To a Height 18 in air: in the line.
79.85	Intersect the N 43 line 10 links South of the post cor of Sec. 28. 29. 32 & 33

West	On the line between Sec. 29. 30 J. 12 AM. 67.
39.90	Set the post 7 1/2 in post at the as such in the line from which a Height 12 in air: low. N 8 W 26 links out; & on Elev. 20 " " S 67 E 50 " "
79.85	To the post cor of Sec. 29. 30. 31 & 32

West	Between Sec. 30 & 31 J. 12 AM. 67.
------	------------------------------------

- 1.00 To a Creek 60 links mid, corner S.E.
 16.05 To a Red Oak. 36 in diam. in the mid.
 40.00 Set a post from which
 Buck 12 in diam. bears N 70 E. 120 links dist; 70,
 20. 12 " " " N 57 E. 160 " "
 This post stands in open barrens near a Grove of Timber
 to the S.E.
 62.42 To a Hick 70 in diam. in the mid.
 74.50 Set out the West Boundary 88 links South of the post on
 of sec. 25 T36. T. N. P. A. N. N. and set a post in a prairie
 for the cor of sec. 30 & 31.
 The 1st 1/2 of this line is low and level Timber Oak &c.
 2nd 1/2 mile is barrens & prairie Good soil Level land.

- North Return Sec. 29 T30 T. N. P. A. N. N. 6th
 3.00 To a Creek 50 links mid, corner S.W.
 5.50 To a Sycamore. 30 in diam. in the mid.
 11.85 To a Creek. 40 links mid, corner E.
 36.20 " " " Oak. 40 in diam. in the mid.
 40.00 Set a post from which
 Buck. 12 in diam. bears N 40 W. 19 links dist; 70
 Buck 18 " " " S 51 E. 34 " "
 This half mile level and level; Timber Poplar, Ash & Oak
 50.26 To a Buck. 18 in diam. in the mid.
 71.60 " " " " 30 " " " " "
 80.00 Set a post for the cor of sec. 19. 20. 29 & 30 from which
 Buck. 14 in diam. bears N 30 E. 19 links dist; 70,
 W. Buck. 24 " " " S 25 W. 25 " "
 Level land soil rich; Timber Poplar, Buck, Hickory, Sugar,
 Magnolia & Spruce.

- East Run Random line between Sec. 20 & 29 T. N. P. A. N. N. 6th
 6.25 To a Buck. 10. in diam. in the mid.

T. No 10. N. No 671 2nd M. Ind.

35.45	To a W Oak. 12 in diam in the line.
40.00	Get a stump 7 1/2 sup at
49.88	Put in the N & S line at the post on of Dec. 20. 21. 28 & 29.
West	On the line between Dec. 20 & 29. T. 10 N. 671.
39.94	Get the stump 7 1/2 sup at the on with the line from which a W (Oak) 14 in diam. runs. N 81 W. 17 the arch; & a, N 107 10 " " " S 83 E. 29 " "
79.88.	To the post on of Dec. 19. 20. 29. & 30 Land level, Soil good; Timber Birch, Poplar, Hickory underneath Sassafras & Spruce April 13, 1814
West	Between Dec. 19 & 30 T. 10 N. 671.
12.30	To a Sugar. 12 in diam in the line.
24.45.	To a Bark. 15 " " " " "
38.00	To a Crak. 20 in diam, across S. E.
40.00	Get a 7 1/2 sup at from which P. Run. 6 in diam. runs. N 65 E. 20 links arch; & a 3 Arch. 10 " " " " N 35 W. 25 " "
41.50	To a Spanish Oak. 18 in diam in the line.
44.50	Put in the Range line c. West Corner at the post on of Dec. 24. & 25. T. 12 N. 671. Land level Soil good; Timber Sugar Bark, Oak. Poplar, Sassafras & Spruce. Underneath.
North	Between Dec. 19 & 20 T. 10 N. 671
13.46.	To a Sugar. 12 in diam in the line.
18.75	To a Bark. 24 in diam in the line.
40.00	Get a 7 1/2 sup at from which Sugar. 10 in diam runs, S 20 E. 20 links arch; & a Spruce. 12 " " " " N 32 W. 10 " "
64.25	To a Bark. 18 in diam in the line.
77.00	To a Poplar 36 in diam in the line.

T. N. 12. N. 11. N. 677 2nd. 11th. 12th.

80.00 Set apart for the co of sec 17. 18. 19 & 20 from which
 Buck 30 in diam. trees. N 48 E 19 links north; & a
 Do. 14 " " " N 10 E 50 " "
 Land good; Timber Buck, Poplar, Oak, Spruce, N. 8. Spruce
 Soil good.

East
 6.10 On a random line between Sec. 17 & 20. T. 12. N. 677.
 To a Buck. 12 in diam. in the line.
 21.50 To a N Oak. 36 in diam. stands in the line.
 41.70 To a lot of 20 links north, leaves S. E.
 79.80 Enter lot of N & S line at the post on of sec. 16. 17. 20 & 21.

West
 39.90 On the line between Sec. 17 & 20. T. 12. N. 677.
 Set the timber for a post at the ar. with in the line from
 which, Buck. 20 in diam. trees. N 25 W. 13 links north; & a
 Do. 18 " " " N 20 E 25 " "
 49.80 To the post on of sec. 17. 18. 19 & 20.
 Land good and soil good; Timber Buck, Oak, ash,
 & Undergrowth Spruce. & Maple.

West
 19.26 Between Sec. 18 & 19. T. 12. N. 677.
 To a N Oak. 18 in diam. in the line.
 39.45 To an Oak. 14 " " " " "
 40.00 Set a 1/2 a post from which
 N Oak. 36 in diam. trees. N 26 W. 14 links north; & a
 N (Do) - 12 " " " N 46 E 44 " "
 Land this 1/2 mile. Timber. Land Soil not; Timber N Oak
 Buck & Poplar & N. 8. Maple & Sassafras
 42.65 To a N Oak. 30 in diam. in the line.
 51.50 To a N Oak. 36 in diam. leaves S. W.
 52.90 " " Do. 20 " " " S.
 57.20 To a N Oak. 36 in diam. in the line.
 75.00 Enter lot of the West Down N. 7 65 links north of the post on of
 Sec. 13 & 24 T. 12. N. 677 and set apart for the co of sec.
 18 & 19 from which
 Buck. 18 in diam. trees N 56 E 8 links north; & a

to
 12
 12

J. N. N. N. N. 6772nd Mr. Sud.

W Oak. 140 in diam. trees. 22677.8 inches dia.
 Land broken. Soil good; Timber Oak, Oak, & Poplar. &
 Undergrowth Maple & Dogwood.

With	Return Sat. 17 & 18 J. 12 APR 677
19.25	To a W Oak. 36 in diam. in the line.
25.55	To a R Oak. 30 " " " "
40.00	Set a 7/8 capst from which Elm. 10 in diam. trees. 229 E. 27 inches dia; & a New 724 " " " 223 E. 30 " "
48.00	To an Elm. 14 in diam. in the line.
49.95	To a New 115 in diam. in the line.
80.00	Set a post for the cor of ew. 7.8.17.718 from which Maple. 14 in diam. trees. 230 E. 8 inches dia; & a Ho 6 " " " 21277.11 " "
	Land level and out; Timber Oak, Oak, & Maple. &
East	Quadrant line between Sat. 8 & 17 J. 12 APR 677.
24.70	To a W Oak. 36 in diam. in the line.
28.15	To a R Oak. 24 in diam. in the line.
40.00	Set a trap. 7/8 capst
44.65	To a Poplar. 60 in diam. in the line.
49.91	Enter Sat the N B line at the post cor of Sat. 8.9.16 & 17.
West	Quadrant line between Sat. 8 & 17 J. 12 APR 677.
39.957	Set the trap. 7/8 capst at the ar arch in the line. From which Oak. 18 in diam. trees. 220 E. 43 inches dia make a Sugar. 8 " " 257718 " "
49.91	To the post cor of ew. 7.8.17 & 18. Corn somewhat broken land. Soil good Timber Oak Poplar, Sugar & Oak. Undergrowth Maple & Sassafras
West	Return Sat. 7 & 18 J. 12 APR 677
27.85	To a W Oak. 40 in diam. in the line.
36.50	To a Poplar. 40 in diam. in the line.
40.00	Set a 7/8 capst from which

J. N. D. M. P. No. 672nd. Mm. Ind.

64.62	To Spanish Oak. 36 in air. in the tree.
79.90	Intro lat the N + S line at the post on of lat 4.5.8 + 9.
West	On the line between Lat 5 + 8 J. N. D. M. P. 672.
39.95	Set the trap. 7 in cap at the air arch on the tree line from which N Oak. 14 in air. line. N 16 N 25 line, arch; under a Heister 6 " " S E 11 " "
79.90	To the post on of lat 5, 6, 7, + 8. Land here on a soil good Timber Poplar, Oak, Sugar Mangrove Cassiafras.
West	Between Lat 6 + 7. J. N. D. M. P. 672.
4.58	To a Gum. 20 in air. in the tree.
40.00	Set a 7 in cap at from which Spanish Oak. 24 in air. line. N 64 N 20 line, arch; to N Oak. 24 " " " S E 36 " "
71.50	Intro lat the West Brim N 39 line North of the post on of Lat 1 + 12 J. N. D. M. P. 772. and set apart for the on of lat 6 + 7 from which N Oak. 24 in air. line. N 45 E. 6 line, arch; 7 a 40.30 " " " S E 16 " " Land here & arch. Timber Oak & Heister. N 8 Heister Cassiafras.
North	Between Lat 5 + 6. J. N. D. M. P. 672.
7.00	To a Buck. 12 in air. in the tree.
40.00	Set a 7 in cap at from which Buck. 24 in air. line. N 12 N 8 line, arch; 8 a Heister 8 " " " S E 11 " "
48.15.	To a Spanish Oak. 18 in air. in the tree.
63.20	" " Buck 30 " " " " "
79.28	Intro lat the N Brim N 49 and set apart for the on of lat 5 + 6 from which a Buck. 8 in air. line. N 46 E. 6 line, arch; under a Sugar 15 " " " S E 11 6 " " Land here Timber Buck, Oak, Heister &c. N 8 Cassiafras & Heister 6.

T. N. 12. N. 12. N. 6 W 2nd, Mer. Ind.

Surveyed by
John M. Donald Lt.

I certify that the foregoing Transcript of the Field
notes of Township N. 12. North of Range N. 6 West
of the 2nd Mer. Indian, has been compared with
the Original notes in the Office and found to be correct.
Surveyor General's Office,
Cincinnati, July 24 1841

Q. S. Raine
Sur. General

East On Range between Sec. 2 & 11, T. 2 N. R. 6 W
6.40 a W. Oak 36 in. diam.
40.00 Set temporary q. Sec. post
80.00 Intersected the N. & S. line at the post
Over level land, timber Beech, Oak &c.
Undergrowth Spice & Hazel

West On true line between Sec. 2 & 11
40.00 Set q. Sec. post at average dist. from which
a Beech 10 in. diam. bears N 65 W 11 in. dist. &
a Span. Oak 8 " " " S 80 E 25 " "
80.00 to Section Corner.